





TECHNICAL-COMMERCIAL PRODUCT SHEET

Description


PULMIC PEGASUS 75

Ref. 16510

Electric sprayer for the application of phytosanitary and industrial products.

Tariff heading: 84244100

EAN 8 435128 251157



Product photo









PULMIC PEGASUS 75

CE Certification

3 years manufacturing warranty

Product parts						
	Ability	75L				
-	Filling mouth diameter	190mm				
	Material	Polyethylene				
	Filters	1 in the filler neck and 1 in the handle				
-	Color	White				
_	Structure	Steel coated with electrostatic paint				
Chassis	Wheels	3.00 – 4 (260 x 85mm)				
Bomb	Compression and drive system	Electric, using a membrane pump / DC motor with brushes.				
	Maximum flow	5.4L/min				
	Maximum pressure	See table according to mouthpiece (page 3)				
Control unit	Potentiometer. Electronic regulation of pump voltage, optimizes battery autonomy.					
	Material	braided PVC				
Hose	Length	10m				
Handla	Material	PA + GF, with filter and Viton and NBR O-rings				
Handle	Length	20cm				
Battery -	Battery 2 units					
	Lithium-ion LiCoO2 18 V 2,600 mAh					
	Charger (European connector)	Input. 100/240 V, 50/60 Hz, 0.5 A. Output: 21V, DC 1A.				
	Work autonomy	1-1.5 hours approx. (depending on pressure)				
	Temperature range	from 5° C to 40° C				
	Battery weight	0.38kg				
	Autonomy	See table according to nozzle (Page 3)				
Nozzloo	Elbow with adjustable nozzle					
Nozzles	Elbow with 4-outlet nozzle					
Attached Documentation	Manual					







PULMIC PEGASUS 75

CE Certification

3 years manufacturing warranty

Boquilla Nozzle Buse Bico Ugello Dysza Conno فوهة		Velocidad Speed Vitesse Velocidade Velocità Prędkość Скорость асум	Pres Pres Pres Ciśn Давл <u>Ы</u>	sión ssure ssion ssão sione ienie eeниe ъъ́	Angulo Angle Angle Angulo Angolo Kat Угол زاویة	Cau Flo Déi Flu Flus Przej آفق L/min	gpm	Capacity Capacité Capacidac Capacità pojemnos Емкость/ак أيباليدا L	/batterie de/bateria /batteria ść/baterię ккумулятор / السعة gal	Autonomía total Total autonomy Autonomie totale Autonomia total Autonomia totale Calkowita autonomia Полная автономия الحكم الذاتي الكامل min.
Ref.	B	1	Бар 4,5	Пси 65	80°	л/мин 1,5	гал/мин 0,39	198	гал 52,3	135
15293	W	2	6,5	94	80°	2,0	0,53	183	48,3	92
		3	7,0	102	80°	1,9	0,51	193	50,9	101
Ref.	200	1	4	58	80°	1,5	0,38	179	47,2	123
8740	THE STATE OF THE S	2	6,0	87	80°	1,7	0,45	154	40,7	90
		3	6,5	94	80°	1,9	0,49	170	45,0	92





Packaging and dimensions

Unit Net Weight	28.04kg
Gross Unit Weight	32.4kg
Packing unit	1
Unit packaging dimensions	110x53x86cm
Secondary Boxed Units	Not applicable
Secondary box dimensions	Not applicable

Logistics data

Packaging units per m3	2	Units per pallet (American)	4 units
Units per 20" container	32 units	Units per pallet (European)	4 units
40" container units	72 units	_	
40" HC container units	72 units	_	







PULMIC PEGASUS 75 CE Certification 2 years manufacturing warranty

