



TECHNICAL-COMMERCIAL PRODUCT SHEET

Description

PULMIC INDUSTRIAL 15

Ref. 18421

Definition:

Electric sprayer for the application of viricidal disinfectant/bactericidal products and ozone applications.

Tariff heading: 84244100

EAN: 8435128268322



8435128268322

Product photo

7 BAR

100 psi



Three speeds



Easy access to the battery



Stainless steel lance



INDUSTRIAL



Quick-connect nozzle kit



High performance diaphragm pump



PULMIC INDUSTRIAL 15

CE Certification



2 years manufacturing warranty

Product parts

Deposit	Color	White
	Material	Polypropylene
	Filling mouth diameter	130mm
	Ability	15L
	Belt	Adjustable 4 cm wide and 120 cm long with padded shoulder pads
	Carrying handle	Yeah
Bomb	Compression and drive system	Electric via diaphragm pump/DC motor with brushes
	Flow	Consult table according to nozzles (page 3)
	Pressure	Consult table according to nozzles (page 3)
Control unit	Electronic regulation of pump voltage, provides 3 different pressures and optimizes battery life. 3S system	
Membrane	Santoprene	
Hose	Material	PVC with polyester mesh reinforcement
	Length	120cm
Handle	Material	Brass, with filter
	Measure	15 x 4 cm
Battery/Charger	Lithium-ion LiCoO ₂ 18 V 2,600 mAh	
	Range of temperature	of 1st c to 50° c
	Weight of battery	0.38 kg
	Autonomy	See table according to nozzle (Page 3)
Lance	Material	Stainless steel
	Length	42.5cm
Nozzles	Adjustable industrial nozzle	
	Red industrial nozzle 0°	
	Green industrial nozzle 25°	
Attached documentation	Manual	



Nozzles

Boquilla Nozzle Buse Bico Ugello Dysza Сопло فوهة		Velocidad Speed Vitesse Velocidade Velocità Prędkość Скорость سرعة	Presión Pressure Pression Pressão Pressione Ciśnienie Давление ضغط		Ángulo Angle Angle Ângulo Angolo Kąt Угол زاوية	Caudal Flow Débit Fluxo Flusso Przepływ Поток تدفق		Capacidad/batería Capacity/battery Capacité/batterie Capacidade/bateria Capacità/batteria pojemność/baterię Емкость/аккумулятор السعة / البطارية		Autonomía total Total autonomy Autonomie totale Autonomia total Autonomia totale Całkowita autonomia Полная автономия الحكم الذاتي الكامل
			bar Бар	psi Пси		L/min л/мин	gpm гал/мин	L л	gal гал	min. Мин.
		1	2,5	36	25°	1,95	0,51	351	91	180
		2	3,5	51	25°	2,20	0,58	248	65	113
		3	4,5	65	25°	2,60	0,68	234	61	90
		1	4,5	65	0°	1,50	0,39	192	49	128
		2	6,5	94	0°	1,85	0,48	166	43	90
		3	7	102	0°	2,00	0,52	166	43	83
		1	2,35	34	max. 70°	2,00	0,52	360	93	180
		2	3,4	49	max. 70°	2,55	0,67	288	75	113
		3	3,6	52	max. 70°	2,65	0,70	238	63	90



PULMIC®
TAKE CONTROL

PULMIC INDUSTRIAL 15

CE Certification

2 years manufacturing warranty

Chemical Compatibility



PULMIC®
TAKE CONTROL

PRINCIPIO ACTIVO ACTIVE PRINCIPLE Matière principale	COMPUESTO ACTIVO ACTIVE COMPOUND Matière active	INDUSTRIAL 15 INDUSTRIAL 35
ÁCIDOS ACIDS Acides	ÁCIDO ACÉTICO / ACETIC ACID / ACIDE ACÉTIQUE (MAX 20%)	×
	ÁCIDO CLORHÍDRICO / HYDROCHLORIC ACID / ACIDE CHLORHYDRIQUE (MAX 30%)	×
	ÁCIDO FLUORHÍDRICO / HYDROFLUORIC ACID / ACIDE FLUORHYDRIQUE (MAX 20%)	×
	ÁCIDO FOSFÓRICO / PHOSPHORIC ACID / ACIDE PHOSPHORIQUE	×
	ÁCIDO NÍTRICO / NITRIC ACID / ACIDE NITRIQUE (MAX 20%)	×
	ÁCIDO SULFÚRICO / SULPHURIC ACID / ACIDE SULFURIQUE (MAX 30%)	×
	BISULFITO SÓDICO / SODIUM BISULPHATE / ACIDE SODIQUE (MAX 20%)	×
	ÁCIDO OXÁLICO / OXALIC ACID / ACIDE OXALIQUE	×
ALCOHOLES ALCOHOLS Alcools	BUTANOL / BUTANOL / BUTANOL	▲
	ETANOL / ETHANOL / ÉTHANOL	▲
	METANOL / METHANOL / MÉTANOL	▲
HIDROCARBUROS ALIFÁTICOS ALIPHATIC HYDROCARBONS Hydrocarbures aliphatiques	DECANO / DECANE / DÉCANE	▲
	HEPTANO / HEPTANE / HEPTANE	▲
	HEXANO / HEXANE / HEXANE	▲
	PENTANO / PENTANE / PENTANE	▲
HIDROCARBUROS AROMÁTICOS AROMATIC HYDROCARBONS Hydrocarbures aromatiques	LIMONENO (DIPTENO) / LIMONENE (DIPTENE) / LIMONÈNE	▲
	NAFTALENO / NAPHTHALENE / NAPHTALÈNE	▲
	TOLUENO / TOLUENE / TOLUÈNE (MAX 40%)	▲
	XILENO / XYLENE / XYLÈNE	▲
ACEITES Y DERIVADOS PETRÓLEO OILS & PETROLEUM PRODUCTS Huiles et Dérivés Pétrole	ACEITE MINERAL-VEGETAL / MINERAL-VEGETAL OIL / HUILE MINÉRALE-VÉGÉTALE	✓
	GASOIL / DIESEL / GASOIL	✓
	GASOLINA / GASOLINE / ESSENCE	✓
	QUEROSENO / KEROSENE / KÉROSÈNE	✓
ALCALINOS Y CETONAS ALKALINES & KETONES Alcalins et Cétones	ACETONA / ACETONE / ACÉTONE	×
	AMONIACO / AMMONIA / AMMONIAQUE	▲
	HIDRÓXIDO DE SODIO / SODIUM HYDROXIDE / HYDROXYDE DE SODIUM	×
	HIDRÓXIDO DE POTASIO / POTASSIUM HYDROXIDE / HYDROXYDE DE POTASSIUM	×
	HIPLOCLORITO DE SODIO / SODIUM HYPOCHLORITE / HYPOCHLORITE DE SODIUM	▲



RECOMENDADO
RECOMMENDED/RECOMMANDÉ



LIMITADO
LIMITED/LIMITÉ



PROHIBIDO
FORBIDDEN/NON VALABLE



PULMIC INDUSTRIAL 15

CE Certification

2 years manufacturing warranty



Packaging and dimensions

Unit Net Weight	4,104kg
Gross Unit Weight	4.97kg
Packing unit	1
Unit packaging dimensions	42 x 25.5 x 56cm
Units in the secondary box	Not applicable
Secondary box dimensions	Not applicable

Logistics data

Packaging units per m ³	16	Units per pallet (American)	40 units
Units per 20" container	480 units	Units per pallet (European)	24 units
40" container units	960 units		
40" HQ container units	1120 units		



Product commercial video